





FIG. 1










F1G. 4







F1G. 6







F1G. 9



## FIG. 10

< × × × × × × × × × × × × × × × × × × ×
<
_
×
MAY CONTAIN
WINDOW MENU

FIG. 11

TAG							
ATTRIBUTE	TEMPLATE	STREAM	FULL TAG	ABBREVIATION	DEFAULT	TERMINATED	NOTES
						-	
SCREEN	×	×	< SCR> OR <dlg></dlg>			OR	DLG IS A DIALOG BOX
Ω	×	×	ID = name				
BACKGROUND	×		BACKCOLOR = color	BC = color			
WINDOW TITLE	×	×	<wtitle></wtitle>			< WTITLE >	
<u>O</u>	×	×	ID = name				
MOVABLE	×		MOVE = [YN]		λ		
SIZABLE	×		SIZE = [YN]		γ		
CLOSABLE	×		CLOSE = [YN]		γ		
TITLE TEXT		×					
WINDOW MENU BAR	×	×	<wmenu></wmenu>				
Ω	×	×	ID = name				
WINDOW MENU		×	<m></m>			< /W/ >	
<u>O</u> I		×	ID = name				
MENU TEXT		×					-
WINDOW MENU ITEM		×	<mi></mi>			< /WI >	
۵ĺ		X	ID = name				
VALUE		×	VALUE = n				
CHOICE ENABLED		×	ENABLED = [TRUE\FALSE]	EN = [T/F]	T		
MENU ITEM TEXT		×					

COPLOUMD. ONO LOG

PHRASE PACK IS A STRUCTURE CONTAINING THE VARIOUS TEXT RENDERINGS ASSOCIATED WITH THE BUTTON IF NOT SPECIFIED, THESE ARE SET BY RENDERER IF NOT SPECIFIED, THESE ARE SET BY RENDERER CONTAINER: WHAT ELEMENTS
CAN BE CONTAINED NEEDS TO
BE DEFINED MENU BAR, BLACKBOX OR TRANSPARANT NOTES TERMINATED </TABLE> ///>///> PER DATA PER DATA DEFAULT LEF ABBREVIATION AL = [L/C/R] ST = style FN = font BC = color PP. L=text FC = color NC=1 NR=n FS=n ALIGN=[LEFT\CENTER\ RIGHT] X=nY=nH=nW=n X=nY=nH=nW=n X=nY=nH=nW=n STYLE = known style FORECOLOR = color BACKCOLOR = color PP.LONG = text data FONT= font name NUMROWS = n FONTSIZE = n NUMCOLS = n < GROUP...> < TABLE... > FULL TAG ID = name ID = name ID = name < TXT > STREAM × × × × × × × × × TEMPLATE | × ×  $\times$ × FOREGROUND COLOR BACKGROUND COLOR OTHER ATTRIBUTES, BASED ON STYLE NUMBER OF ROWS ATTRIBUTE **TEXT ALIGNMENT** SIZE/POSITION SIZE/POSITION SIZE/POSITION PHRASE PACK NUMBER OF COLUMNS FONT STYLE **FONT SIZE** TEXT FIELD STYLE GROUP TABLE ₽ ₽

FIG. 12 🗉

FIG. 13

TAG								
ATTRIBUTE	TEMPLATE	STREAM	FULL TAG	ABBREVIATION	DEFAULT	TERMINATED	NOTES	
TABLE HEADER		×	< Т <del>и</del> >			<th>, <td>, <tr>, OR </tr></td></th>	, <td>, <tr>, OR </tr></td>	, <tr>, OR </tr>


 HEADER INFO. (BOLD) || |COLUMN SPAN |  | × | COLSPAN = n |  | 1 |  |  |
ROW SPAN		×	ROWSPAN = n		1						
ALIGNMENT		×	ALIGN=[LEFT\CENTER\ RIGHT]	AL = [L\C\R]	CENTER						
TABLE TEXT		×									
TABLE DATA		×				,  ,	, OR				
ROW SPAN		×	COLSPAN = n		1						
ALIGNMENT		×	ROWSPAN = n		1						
TABLE TEXT		×	ALIGN=[LEFT\CENTER\ RIGHT]	AL = [L\C\R]	CENTER						
TABLE ROW		×								TERMINATES ROW	
LIST						< /LIST >					
ΩI	×	×									
SIZE /POSITION	X		X=nY=nH=nW=n								
LIST TYPE	,	×									
OTHER ATTRIBUTES, DEPENDENT ON TYPE											
LIST ITEM			<[]>								
VALUE		X	VALUE = val	\							
SELECTED		Χ	SELECTED = [YES\NO]	SE = [Y/N]	Q Q						
LIST ITEM PHRASE PACK		X	PP. LONG = text data	PP. L = text			LONG OR SHORT FORMS				
FIG. 14

TAG			•				
ATTRIBUTE	TEMPLATE	STREAM	FULL TAG	ABBREVIATION	DEFAULT	TERMINATED	NOTES
CHOICE	×	×	< BTN >			< CH >	
<u>Q</u>	×	×	ID = name				•
VALUE		×	VAL = character	V = char			
HOT KEY	×		HOTKEY = key	HK = char			
STYLE		×	STYLE = known style	ST = style			EXIT, CAT BUTTON, MENU BUTTON, TEXT BUTTON, ICON BUTTON
ALIGNMENT		×	ALIGN = (LEFT\CENTER\ RIGHT)	AL = [L\C\R]	LEFT		
SELECTED		×	SELECTED = [YES/NO]	SE = [MN]	ON		
ENABLED		×	ENABLED = [TRUE\FALSE]	EN = [T/F]	TRUE		
SIZE/POSITION	×		X=nY=nH=nW=n				
ACTION		×	ACTION = [SUBMIT\ SELECT\NXTFLD]	ACT = [SUB\ SEL\NXT]	SUBMIT		
BUTTON PHRASE PACK		×				,	
BUTTON IMAGE		×	BIMG = image file				ONLY FOR ICONBTN
ADSI SOFT KEY		×	SOFTKEY = [TRUE\FALSE]	SOFT = [T/F]	FALSE		CHOICE SHOULD BE MAPPED TO SOFT KEY
VIRTUAL TERMINAL WINDOW			DETAILS TBD				
<u>Q</u>	×	×			-		
TYPE/PROTOCOL	×						
SIZE/POSITION	×						
DATA		×					
IMAGE			< IMG>				
Ω	×	×	ID = name	·			
SIZE/POSITION	×		X=nY=nH=nW=n				
IMAGE FILE		×	SCRC = Image file				

TAG						
ATTRIBUTE	TEMPLATE STREAM	STREAM	FULL TAG	ABBREVIATION   DEFAULT   TERMINATED	AULT   TERMINA	TED NOTES
INPUT			< !NPUT >		< /INPUT >	[>
Ω	×	×	ID = name			
SIZE/POSITION	×		X=nY=nH=nW=n			

INPUT			< INPUT>				
<u></u>	×	×	ID = name				
SIZE/POSITION	×		X=nY=nH=nW=n				
DATA TYPE		×	TYPE = datatype	TY = dt			ALPHA,NUMERIC,PASSWORD, AMOUNT,ETC.
MAXIMUM LENGTH		×	MAXLEN = n	MAX = n	NONE		
MINIMUM LENGTH		×	MINLEN = n	MIN = n	0		
TAB ORDER		×	TABORDER = n	TAB = n			
STATUS BAR	×	×					
요	×	×					
OTHER TBD		×				·	
FORCED LINE BREAK		×	 				
CENTER		×	< CENTER >	<o></o>		< /CENTER > OR < /C>	MODIFIES ALIGNMENT
		×	<let></let>	<l></l>			MODIFIES ALIGNMENT
RIGHT		×	< RIGHT >	<.R>			MODIFIES ALIGNMENT
MONEY FORMAT		×	<\$>			<\$/>	MODIFIES STYLE
HIGHLIGHT		×	<h.></h.>				MODIFIES STYLE

FIG. 16



## FIG. 17

8	⊽
FILE HELP	
OKAY, WHICH MAY I HEI	_P YOU WITH?
(1) CASH*	) CREDIT CARDS
(2) SAVINGS & INVESTMENTS (5	) SUMMARY & SERVICE
(3) BORROWING AND LOANS (6	) CURRENT STOCK QUOTES
(0) MESSAGES (YOU HA	AVE NEW MAIL)